No. 7387 P. 31

MATERIAL SAFETY DATA SHEET Page 1 of 3

SECTION 1. ODUCT IDENTIFICATION

PRODUCT NAME: Shore Grip 30 Multi-Putpose Adhesive

CHEMICAL FAMILY: Water Base Adhesive

SECTION 2. ZARDOUS INGREDIENTS AND EXPOSURE LIMITS

CAS % by

Chemical Name Number Weight ACGIH TLV OSHA PEL

None

SECTION 3. AZARDS IDENTIFICATION

PRIMARY ROUTES OF ENTRY: Eyes, Skin

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known.

POTENTIAL HEALTH EFFECTS:

EYE CONTACT: Can cause slight irritation.

SKIN CONTACT: No effects expected.

INGESTION: May cause discomfort to digestive system.

INHALATION: No effects expected.

CHRONIC: None known.

CARCINOGENICITY: This product contains no ingredient above the OSHA minimum

reporting threshold listed as a carcinogen by IARC, NTP, or OSHA.

SECTION 4. FIRST AID MEASURES

EYE CONTACT: Flush with water for 15 minutes. Call physician if irritation occurs.

SKIN CONTACT: Wash with soap and water.

INGESTION: Do not induce vomiting and call physician immediately.

INHALATION: Move person to fresh air.

SECTION 5. FIRE-FIGHTING MEASURES

FLASH POINT (a)F: None.

FIRE-FIGHTING INSTRUCTIONS: Water for dried material. Use protective clothing and self

contained breathing apparatus.

DECOMPOSITION PRODUCTS: Dried material may produce CO, CO2, H2O, and

hydrocarbons.

Nu. 7387' P. 4

MATERIAL SAFETY DATA SHEET Page 2 of 3

SECTION 6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Place back into container for use if uncontaminated. For contaminated product, scoop material into secure waste container. Dispense sand, sawdust, or vermiculite to absorb residue, collect and place in waste container. Wash area thoroughly with water.

SECTION 7. HANDLING AND STORAGE

HANDLING: Use good hygicnic practices. (Wash hands before eating, using washroom, or smoking.) Product will adhere to skin and clothing. *** Keep out of the reach of children! ***

STORAGE: Store above 40° F. Product is freeze-thaw stable up to five cycles at 20 °F.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT:

EYE/FACE PROTECTION: Wear safety glasses if contact with material is likely.

SKIN PROTECTION: Wear gloves if contact with material is likely.

RESPIRATORY PROTECTION: Not normally required with good ventilation.

ENGINEERING CONTROLS: Normal room ventilation. Open windows and doors, use floor and ceiling fans to ventilate work area during installation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT (F): 212

SPECIFIC GRAVITY (WATER = 1): 1.12

VAPOR PRESSURE: Same as water.

VAPOR DENSITY(air=1): Same as water.

% VOLATILE BY WEIGHT: 50

pH: 9

APPEARANCE AND ODOR: Straw colored paste with mild odor.

SECTION 10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable.
POLYMERIZATION: Will not occur.
CONDITIONS TO AVOID: None known

HAZARDOUS DECOMPOSITION PRODUCTS: None.

SECTION 11. TOXICOLOGICAL INFORMATION

No information available.

RICHARDS

PAGE 06/10

No. 7387 P. 5

MATERIAL SAFETY DATA SHEET Page 3 of 3

SECTION 12. ECOLOGICAL INFORMATION

No information available.

10/01/2008 10:30 13213 Oct, 1, 2008/10:41AM"

SECTION 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with federal, state and local regulations.

SECTION 14. TRANSPORT INFORMATION

For domestic transportation purposes, this product is not designated as a hazardous material by the U.S. Department Of Transportation.

SECTION 15. REGULATORY INFORMATION

TSCA: The components of this product are listed on the TSCA inventory.

SARA TILE III;

Section 311 and 312 Health and Physical Hazards:

Immediate Delayed Fire Pressure Reactivity

DDDDD

Section 313 Reportable Chemicals: None above EPA minimum reporting levels.

CALIFORNIA VOC (Volatile Organic Compound) COMPLIANCE:

Solvent Free Product,

SCAQMD Rule 1168: VOC compliant.

and the second of the second o SCAQMD Rule 443.1: Grams of VOC per Liter of Material < 1 gram/liter

Grams of VOC per Liter of Adhesive < 1 gram/liter.

SECTION 16. OTHER INFORMATION

HMIS RATINGS: Health = 1 Flammability = 1 Reactivity = 0 Personal Protective Equipment = B

Hazard rating scale: 0=Minimal, 1≈Slight, 2=Moderate, 3=Serious, 4=Severe

DATE ISSUED: June 7, 2007 PREPARED BY: R. W. Smith, Jr.